

C'

INDEX MAPS.

T. 23N, R. 3W. 2nd Mer.

	6	5	5	5	4	4						
7	6	28	5	23	4	19	3	15	2	11	1	4
	28		27		22		18		14		11	
7	7	27	8	22	9	18	10	14	11	10	12	3
	27		26		22		18		14		10	
7	18	26	17	21	16	17	15	13	14	10	13	3
	25		25		21		17		13		9	
6	19	25	20	20	21	16	22	13	23	9	24	3
	25		24		20		16		13		9	
6	30	24	29	20	28	16	27	12	26	8	25	3
	24		23		19		15		12		8	
6	31	23	32	19	33	15	34	12	35	8	36	2
	2		2		1		1		1		1	

T. 24N, R. 3W. 2nd Mer.

	36	36	35	35	34	34						
38	6	60	5	60	4	57	3	58	2	61	1	34
	60		59		56		57		45		42	
38	7	59	8	56	9	57	10	45	11	41	12	34
	59		58		55		48		44		41	
37	18		17		16		15		14		13	33
			51		50		47		44		40	
37	19		20		21		22		23		24	33
			53		52		47		43		39	
37	30		29		28		27		26		25	33
			52		49		46		42		39	
37	31		32		33		34		35		36	32
			51		49		46		42		38	
	32		32		31		31		31		31	

Meanders 53, 62

The figures on the lines refer to the page.

1

Township N. 23 North, Range N. 3 West 2. Mer. Ind. a.

Chs. Lk. Township Lines.

South Boundary, Var. 6° 10' E

Bearings at cor. of T. 22 & 23 N, R. 2 & 3 W

a W. Walnut 20 in. dis. bears N 60° 11' W. dist. 8

a Mulberry 6 " " " S 70° E 18 " "

West on the S. Boundary of Sec. 36

0.00 a Creek 20 lbs. wide course N

40.00 set of sec. part from which

a Elm 14 in. dis. bears S 52° E 6 lbs. dist. 8

a W. Walnut 24 " " " S 81° W 24 " "

80.00 set part cor. of sec. 35 & 36 from which

a Maple 9 in. dis. bears S 32° E 5 lbs. dist. 8

a S. Oak 7 " " " N 64° W 30 " "

Land level & good for farming, timber Beech,
Sugar, Ash, Oak &c.

West on the S. Boundary of Sec. 35

40.00 set of sec. part from which

a Beech 27 in. dis. bears N 20° E 37 lbs. dist. 8

a Do 24 " " " S 14° W 17 " "

80.00 set part cor. of sec. 34 & 35 from which

a Sugar 10 in. dis. bears N 62° E 15 lbs. dist. 8

a Do 20 " " " S 29° E 30 " "

Land similar, nearly T. rate

West on the S. Boundary of Sec. 34

7.00 a Brook 6 lbs. wide course N

40.00 set of sec. part from which

a W. Ash 30 in. dis. bears S 50° W 38 lbs. dist. 8

a W. Oak 36 " " " N 16° E 44 " "

80.00 set part cor. of sec. 33 & 34 from which

a Hickory 12 in. dis. bears N 38° W 24 lbs. dist. 8

a W. Oak 36 " " " S 54½° E 67 " "

Land same as in the last mile

West on the S. Boundary of Sec. 33

T. 23 N., R. 3 W. 2. Mer. Ind. a.
Ch. Ch.

20.00 enter Prairie

40.00 set q. sec. post from which
an Elm 10 in. diameter S 45 E 188 W. dist. 8
a B. Jack 8 " " " N 4 E 74 " "

43.00 a Creek 100 W. wide runs N

80.00 set post in Prairie cor. of sec. 32 & 33 from which
a W. Oak 12 in. diameter S 12 E 99 W. 99 Ch. dist.
(no other Bearing tree)
Prairie of a middling quality.

West on the S. Boundary of Sec. 32

30.00 enter woods

40.00 set q. sec. post from which
a Hickory 12 in. diameter S 62 E 24 W. dist. 8
a W. Oak 9 " " " S 62 W 28 " "

60.00 enter Prairie

80.00 set post cor. of sec. 31 & 32 in Prairie, made a
Mound (no Bearing trees)
Land T. rate

West on the S. Boundary of Sec. 31

40.00 set q. sec. post in Prairie & made a Mound

85.12 Intersect Range line 39 W. S. of temp. Towns.
cor., set post at intersection cor. of T. 23 & 24 N.,
R. 3 & 4 W. from which in Prairie & made a
Mound (No Bearing trees)
Land T. rate

East Boundary. Var. 6° 15' E.

North on the E. Boundary of Sec. 36

40.00 set q. sec. post from which
a W. Oak 8 in. diameter S 12 W 18 W. dist. 8
a Mulberry 8 " " " N 43 E 27

48.00 enter marshy Prairie

68.00 passed Swamp

80.00 set post cor. of sec. 25 & 36 from which

T. 23 N., R. 3 W. 2. Mer. Ind. a.
Ch. 20.

an Elm 12 in. diameter N 21 W 5 lbs. dist. 3
a W. Beech 6 " " " S 32 E 17 " "
S. 1/2 mile nearly T. rate, N. 1/2 mile swampy

North on the E. Boundary of Sec. 25

40.00 a creek 70 lbs. wide corner W. 4 set of sec. part from
which a Hickory 8 in. diameter N 74 E 10 lbs. dist. 3

a W. Oak 8 " " " S 26 E 7 " "

80.00 set part cor. of sec. 24 & 25 from which

a B. Oak 27 in. diameter N 60 W 34 lbs. dist. 3

a Do 24 " " " S 87 E 20 " "

Land S. rate, timber Beech, Sugar, Oak &c.

North on the E. Boundary of Sec. 24

23.00 entered swampy Prairie

31.00 passed " "

40.00 set of sec. part from which

a W. Oak 36 in. diameter N 20 W 27 lbs. dist. 3

a Do 30 " " " S 64 E 54 " "

80.00 set part cor. of sec. 13 & 24 from which

a Hickory 12 in. diameter S 85 E 48 lbs. dist. 3

a W. Oak 36 " " " S 66 W 57 " "

Land rather poor, part wet swampy

North on the E. Boundary of Sec. 13

40.00 set of sec. part from which

a W. Ash 7 in. diameter S 34 W 16 lbs. dist. 3

an Elm 18 " " " S 85 E 35 " "

80.00 set part cor. of sec. 12 & 13 from which

a W. Oak 36 in. diameter N 47 E 30 lbs. dist. 3

a Beech 14 " " " S 66 W 16 " "

Land rich & good for farming, timber Beech,
Sugar, Ash, Oak, Elm &c.

North on the E. Boundary of Sec. 12

40.00 set of sec. part from which

T. 23 N., R. 3 W. E. Mer. Ind.^a
Chs. Chs.

a Sugar 11 in. diameter S 12° W 26 lbs. dist. 8
a Beech 30 " " " N 41° W 40 " "
80.00 tot part cor. of sec. 1 & 12 from which
a Sycamore 30 in. diameter S 54° E 54 lbs. dist. 8
a W. Ash 8 " " " N 64° E 78 " "
Land similar to last mile

North on the E. Boundary of Sec. 1

3.00 a Creek 150 lbs. wide course W

40.00 tot of sec. part from which

a Beech 24 in. diameter S 62° E 35 lbs. dist. 8

a Do 24 " " " West 8 " "

76.14 Intersect Township line 232 lbs. E. of temp. Town.

cor. - where a Poplar 12 in. dia. stands for cor.

of T. 23 & 24 N., R. 2 & 3 W. from which

a Sugar 10 in. diameter S 65° W 8 lbs. dist.

(no other Bearing tree)

Good Prato farming land

North Boundary. Var. 6° 10' E.

West on the S. Boundary of Sec. 36, T. 24 N., R. 3 W

December 3, 1869

40.00 tot of sec. part from which

a Beech 14 in. diameter N 26° E 9 lbs. dist. 8

a Do 12 " " " S 62° W 13 " "

80.00 tot part cor. of sec. 35 & 36 from which

a W. Ash 14 in. diameter S 44° E 24 lbs. dist. 8

a B. Ash 12 " " " West 7 " "

Land level Prato, part wet

West on the S. Boundary of Sec. 35, T. 24 N., R. 3 W

40.00 tot of sec. part from which

a Sycamore 11 in. diameter S 32° E 22 lbs. dist. 8

a W. Oak 8 " " " N 18° E 7 " "

80.00 tot part cor. of sec. 34 & 35 from which

a Hickory 18 in. diameter N 71° E 13 lbs. dist. 8

T. 23 N., R. 3 W. 2. Mer. Ind. a.
 Elm. Sh.

a S. Oak 30 in. diameter S 40° W 33 lbs. dit.
 Land level 2. rats, timber Beech, Ash, Oak, Hick-
 ory, Sugar, Gum; part good farming land, part
 too wet

West on the S. Boundary of Sec. 34, T. 24 N., R. 3 W

40.00 set of sec. post from which

a Gum 8 in. diameter S 65° E 7 lbs. dit. 3

a W. Ash 9 " " " N 68° W 24 " "

80.00 set post cor. of sec. 33 & 34 from which

an Elm 10 in. diameter N 89° E 59 lbs. dit. 3

a Quak. Asp. 9 " " " S 80° W 51 " "

Land level & wet, timber Beech, Elm, Ash,
 Oak, Gum &c.

West on the S. Boundary of Sec. 33, T. 24 N., R. 3 W

7.80 enter wet Prairie

8.50 enter woods

15.00 enter same Prairie, which lies on the South

25.00 enter woods

33.00 enter same Prairie, which lies North

37.00 enter woods

40.00 set of sec. post from which

an Elm 9 in. diameter N 21° W 37 lbs. dit. 3

a W. Ash 30 " " " S 37° E 9 " "

80.00 set post cor. of sec. 32 & 33 from which

a Hickory 12 in. diameter S 41° E 4 lbs. dit. 3

a Beech 18 " " " N 13° W 15 " "

Land $\frac{1}{2}$ mile same as on the last mile,
 $\frac{1}{2}$ mile rich & good for farming, timber
 Beech, Sugar, Ash, Gum &c.

West on the S. Boundary of Sec. 32, T. 24 N., R. 3 W

40.00 set of sec. post from which

a S. Oak 30 in. diameter S 36° W 29 lbs. dit. 3

a W. Ash 7 " " " N 80° E 14 " "

T. 23 N., R. 3 W. 2. Mer. Ind.

Ch. Lk.

80.00 set part cor. of sec. 31 & 32 from which
 a W. Oak 14 in. diameter N 57° W 23 lbs. dist. 8
 a S. Oak 9 " " " S 26° E 22 " "
 Land level, rich & good for farming, timber
 same as on last mile

West on the S. Boundary of Sec. 31, T. 24 N., R. 3 W.

40.00 set of sec. part from which
 a W. Oak 10 in. diameter N 8° W 9 lbs. dist. 8
 an Ironwood 6 " " " S 73° W 27 " "

80.00 set temp. Township cor.

Land similar, very rich & good for farming

West Boundary, Var. 6° 10' E.

North on the E. Boundary of Sec. 36, T. 23 N., R. 4 W.

40.00 set of sec. part from which
 a W. Oak 24 in. diameter N 48° W 55 lbs. dist. 8
 a Do 12 " " " N 14½° W 58 lbs. "

45.00 enter woods

80.00 set part cor. of sec. 25 & 36 from which
 a W. Oak 30 in. diameter N 1° W 306 lbs. dist.
 (no other Bearing tree)
 Land mostly 1st rate

North on the E. Boundary of Sec. 25, T. 23 N., R. 4 W.

40.00 set of sec. part from which
 a W. Oak 18 in. diameter S 6° E 40 lbs. dist. 8
 a Do 18 " " " S 81° W 90 " "

80.00 set part cor. of sec. 24 & 25 from which
 a W. Oak 36 in. diameter N 75° W 85 lbs. dist. 8
 a Do 36 " " " S 89° E 70 " "
 Rich Oak land, level & good for farming, 1½
 mile past Prairie

North on the E. Boundary of Sec. 24, T. 23 N., R. 4 W.

33.00 enter a Prairie

T. 23 N., R. 3 W. 2. Mer. Ind. a.

Chs. Chs.

- 40.00 set of sec. post from which
a W. Oak 36 in. diameter N 86 W 18 1/2 lbs. dist. 8
(no other Bearing tree)
- 45.00 passed wet Prairie
- 67.00 a Creek 200 lbs. wide course W
- 80.00 set post cen. of sec. 13 & 24 from which
a W. Beech 7 in. diameter S 54 E 10 lbs. dist. 8
an Elm 8 " " " N 71 W 26 " "
Land same as on the last mile

North on the E. Boundary of Sec. 13, T. 23 N., R. 4 W

- 40.00 set of sec. post from which
a Sugar 8 in. diameter S 33 E 15 lbs. dist. 8
an Elm 7 " " " N 62 W 11 " "
- 80.00 set post cen. of sec. 12 & 13 from which
a Sugar 12 in. diameter S 35 E 14 lbs. dist. 8
a W. Oak 36 " " " N 73 W 50 " "
Land rich & good for farming, timber Beech, Sugar,
Ash, Oak &c.

North on the E. Boundary of Sec. 12, T. 23 N., R. 4 W

- 40.00 set of sec. post from which
a Sugar 18 in. diameter S 69 W 12 lbs. dist. 8
a S. Oak 27 " " " N 5 E 28 " "
- 80.00 set post cen. of sec. 11 & 12 from which
a Sugar 9 in. diameter N 71 W 9 lbs. dist. 8
a W. Ash 5 " " " S 66 E 21 " "
Land level very rich & good for farming,
timber Beech, Sugar, Ash, Oak, Hickory & Gum,
Poplar &c.

North on the E. Boundary of Sec. 1, T. 23 N., R. 4 W

- 40.00 set of sec. post from which
a Beech 27 in. diameter S 29 W 27 lbs. dist. 8
a Do 9 " " " N 39 E 8 " "
- 75.32 Intersect Township line 700 lbs. W. of Temp.

T. 23 N., R. 3 W. T. Mer. Ind.^a
Chs. Chs.

Township corner, set post at intersection cor.
of T. 23 & 24 N., R. 3 & 4 W. from which
a Beech 12 in. diameter S 25 E 21 lbs. dist. 8
a Do 10 " " " N 47 W 29 " "
Land same as on the last mile.

Surveyed in 1819 by William Harris
Dep. Surveyor.

Subdivision, Var. 6° 15' E.

North between Sec. 35 & 36, T 23 N, R 3 W

22.21 a W. Oak 33 in. dia.

40.00 set q. sec. post from which

a Sugar 18 in. diameter S 76 W 7 lbs. dist. 8

a Do 18 " " " N 54 E 11 " "

57.00 a Beech 18 " "

80.00 set post cor. of sec. 25, 26, 35 & 36 from which

an Elm 6 in. diameter N 33 W 30 lbs. dist. 8

a Do 6 " " " N 57 E 18 " "

Land level & rate, timber Beech, W. Oak &
open woods

East on Raudon between Sec. 25 & 36

40.00 set temp. q. sec. post

43.16 a Stearn 20 lbs. wide course N W

80.00 Intersect E. Boundary 21 lbs. N. of post -

Land level & rate, timber W. Oak, Beech, Sugar &

Upr. Spice &

West Cornered between Sec. 25 & 36

40.00 set q. sec. post at aver. dist. from which

a Sugar 18 in. diameter N 29 W 19 lbs. dist. 8

an Elm 10 " " " S 11 W 21 " "

80.00 to sec. cor.

North between Sec. 25 & 26

21.50 a Stearn 80 lbs. wide course W

T. 23 N., R. 3 W. 2. Mer. Ind. a.

Chs. Shs.

39.17 a Sugar 15 in. dia.

40.00 set of sec. port from which

a Sugar 14 in. dia. bears N 35 W 14 lbs. dist. 8

a W. Oak 28 " " " S 23 E 24 " "

58.17 a B. Oak 36 " "

75.00 enter a Swamp

80.00 set port cen. of sec. 23, 24, 25 & 26 from which

a B. Oak 9 in. dia. bears S 29 W 524 lbs. dist.

(no other bearing tree)

Land I. rate.

East on Randon between Sec. 24 & 25

40.00 set temp. of sec. port

80.00 Interest E. Boundary 18 lbs. N. of port -

Land level I. rate, timber Beech, Oak, Sugar &

Upr. Spice &

West Connected between Sec. 24 & 25

40.00 set of sec. port at aver. dist. from which

a B. Oak 8 in. dia. bears N 19 E 11 lbs. dist. 8

a W. Oak 7 " " " S 29 W 18 " "

80.00 to sec. cen.

North between Sec. 23 & 24

20.74 a B. Oak 24 in. dia.

40.00 set of sec. port from which

an Elm 24 in. dia. bears N 44 E 24 lbs. dist. 8

a W. Oak 30 " " " N 64 W 14 " "

50.81 a Do 24 " "

80.00 set port cen. of sec. 13, 14, 23 & 24 from which

an Ironwood 10 in. dia. bears N 30 E 23 lbs. dist. 8

a Hickory 24 " " " S 33 W 15 " "

Land level, timber Beech, Sugar & Spice &

East on Randon between Sec. 13 & 24

40.00 set temp. of sec. port

T. 23 N., R. 3 W. 2. Mer. Ind.^a
 Chap. 24.

80.00 Intersect E. Boundary at port -
 Land level, timber Beech, Sugar &
 Wyr. Spruce &

West Corrected between Sec. 13 & 24

40.00 Set of sec. port at aver. dist. from which
 an Ironwood 6 in. diam. S 63 E 16 1/2 m. dist. 8
 a W. Oak 30 " " " N 68 W 40 " "
 80.00 to sec. cor. July 4, 1822

North between Sec. 13 & 14

24.50 a Hickory 20 in. dia.

40.00 Set of sec. port from which
 an Ash 4 in. diam. S 6 E 24 1/2 m. dist. 8
 a Do 14 " " " N 70 W 30 " "

68.88 a B. Oak 26 " "

80.00 Set port cor. of sec. 11, 12, 13 & 14 from which
 a Beech 20 in. diam. N 22 W 11 m. dist. 8
 a Sugar 14 " " " S 63 E 44 " "
 Land brushy

East in Random between Sec. 12 & 13

40.00 Set temp. of sec. port

80.19 Intersect E. Boundary at port -
 Land level, timber Beech, Sugar, Oak &
 open woods

West Corrected between Sec. 12 & 13

40.09 1/2 Set of sec. port at aver. dist. from which
 a W. Oak 24 in. diam. N 23 W 30 1/2 m. dist. 8
 a Beech 24 " " " S 29 W 20 " "

80.19 to sec. cor.

North between Sec. 11 & 12

18.00 a B. Walnut 24 in. dia.

36.00 a Brook 15 m. wide course N W

T. 23 N., R. 3 W. 2. Sec. Ind. a.
Ch. 26.

40.00 set of sec. port from which

a Sugar 18 in. dia bears S 84° W 20 lbs. dist. 3

a Dr 18 " " " N 21° E 30 " "

59.80 an Elm 20 " "

80.00 set port cor. of sec. 1, 2, 11 & 12 from which

a Hackberry 20 in. dia bears S 16° W 30 lbs. dist. 3

a Lym 8 " " " N 89° E 53 " "

Land Billy, timber Sugar, Walnut, Wyr. Spruce,
Pawpaw &c.

East on Random between Sec. 1 & 2

15.00 a Stream 200 lbs. wide course W

40.00 set temp. of sec. port

80.00 Interest Co. Boundary at port -

First rate Bottom land, timber Walnut, Sugar,
&c. Wyr. Bickly Ark

West connected between Sec. 1 & 2

40.00 set of sec. port at aver. dist. from which

a Coffeenut 10 in. dia bears S 24° E 12 lbs. dist. 3

a W. Walnut 6 " " " N 43° E 21 " "

80.00 to sec. cor.

North between Sec. 1 & 2

3.00 a Stream 200 lbs. wide course W.

34.00 a Sugar 18 in. dia.

40.00 set of sec. port from which

a Beech 18 in. dia bears N 61° E 21 lbs. dist. 3

a Dr 20 " " " S 86° W 14 " "

56.19 a Poplar 30 " "

76.00 Interest N. Boundary 23 lbs. W. of port -

set port at intersection cor. of sec. 1 & 2 from which

a Hickory 24 in. dia bears S 2° E 11 lbs. dist. 3

an Ironwood 4 " " " S 72° W 9 " "

Land level, timber Beech, Sugar &c. Wyr.

Spice &c. July 5. 1822

T. 23 N., R. 3 W. E. Mer. Ind. a
Ch. Lk.

North between Sec. 34 & 35

38.96 a Sugar 18 in. diameter

40.00 set of sec. post from which

a Hickory 12 in. diameter N 84° W 30 lbs. dist. 8

a Sugar 10 " " " S 8 E 10 " "

55.92 a B. Oak 24 " "

80.00 set post cor. of sec. 26, 27, 34 & 35 from which

a Sugar 14 in. diameter S 69° W 19 lbs. dist. 8

a Beech 30 " " " N 78 E 12 " "

Land level, timber W. Oak, Sugar, Beech &
open woods

East on Random between Sec. 26 & 35

40.00 set temp. g. sec. post

80.00 Intersect N. G. line 11 M. S. of post -

Land level 2. rate, timber Sugar, Beech, Oak &
open woods

West Connected between Sec. 26 & 35

40.00 set of sec. post at aver. dist. from which

a Beech 20 in. diameter S 46 E 46 lbs. dist. 8

a Sugar 16 " " " N 4 E 7 " "

80.00 to sec. cor.

North between Sec. 26 & 27

14.84 a Beech 20 in. dia.

25.50 a Stream 80 M. wide runs W

40.00 set of sec. post from which

a B. Oak 20 in. dia. bears N 8 E 13 lbs. dist. 8

a Do 30 " " " S 56 W 17 " "

52.84 a W. Oak 20 " "

80.00 set post cor. of sec. 22, 23, 26 & 27 from which

a W. Oak 20 in. diameter S 22° W 15 lbs. dist. 8

a Do 18 " " " N 13 E 69 " "

Land brushy

T. 23 N., R. 3 W. 2. Mer. Ind.?
Chs. Lbs.

East on Random between Sect. 23 & 26

40.00 set temp. of sec. port

80.00 Intersect N & S line at port -

Land level & low, timber brushy

West Connected between Sect. 23 & 26

40.00 set of sec. port at aver. dist. from which

a W. Oak 18 in. dia bears N 80 E 40 Yds. dist. S

a Do 16 " " " S 85 W 39 " "

80.00 to sec. cor.

North between Sect. 22 & 23

18.57 a Beech 20 in. dia.

40.00 set of sec. port from which

a W. Oak 14 in. dia bears S 35 W 21 Yds. dist. S

a Maple 18 " " " N 75 E 32 " "

52.76 a Beech 14 " "

80.00 set port cor. of sect. 14, 15, 22 & 23 from which

a W. Oak 24 in. dia bears N 83 E 20 Yds. dist. S

a Sugar 24 " " " N 45 W 18 " "

Land level, timber Beech, Sugar, Poplar,
Walnut & open woods

East on Random between Sect. 14 & 23

40.00 set temp. of sec. port

80.20 Intersect N & S line 15 Yds. S. of port -

Land level & swampy

West Connected between Sect. 14 & 23

40.10 set of sec. port at aver. dist. from which

a Ironwood 6 in. dia bears S 47 E 6 Yds. dist. S

a Do 6 " " " N 64 W 27 " "

80.20 to sec. cor. July 6. 1822

North between Sect. 14 & 15

13.37 a Beech 18 in. dia.

T. 23 N., R. 3 W. 2. Sec. 1. Ind. a

Ch. 2d,

40.00 tot g. sec. port from which

a Beech 18 in. dia. bears S 81 W 17 lbs. dist. 8

a Sugar 18 " " " S 84 E 32 " "

56.79 a Beech 14 " "

80.00 tot port cu. of sec. 10, 11, 14 & 16 from which

an Ironwood 12 in. dia. bears S 88 W 8 lbs. dist. 8

a Do 12 " " " S 62 E 8 " "

Land level, timber Beech, Sugar, Upr. Spruce &c.

East on Random between Sec. 11 & 14

40.00 tot temp. g. sec. port

80.12 Intercept No. 8. line 18 lbs. S. of port -

Land hilly, timber Beech, Sugar, Upr. Spruce &c.

West Corrected between Sec. 11 & 14

40.06 tot g. sec. port at aver. dist. from which

a W. Oak 24 in. dia. bears S 51 E 6 lbs. dist. 8

a Sugar 15 " " " N 28 W 39 " "

80.12 to sec. cor.

North between Sec. 10 & 11

13.32 an Ash 24 in. dia.

40.00 tot g. sec. port from which

a Sycamore 40 in. dia. bears S 86 W 13 lbs. dist. 8

an Ash 6 " " " S 77 E 34 " "

46.00 a Stream 200 lbs. wide runs W

74.42 a W. Oak 40 in. dia.

80.00 tot port cu. of sec. 2, 3, 10 & 11 from which

a B. Oak 9 in. dia. bears N 64 W 5 lbs. dist. 8

a Do 12 " " " S 46 E 16 " "

Bottom land, timber Walnut, Sugar &c.

East on Random between Sec. 2 & 11

40.00 tot temp. g. sec. port

48.50 a Stream 200 lbs. wide runs S W

80.00 Intercept No. 8. line 15 lbs. N. of port -

T. 23 N., R. 3 W. 2. Mer. Ind. Co.
Ch. Lp.

Bottom land

West Corner between Sec. 2 & 11

40.00 set of sec. post at aver. dist. from which
a Sycamore 18 in. dia. bears S 72 W 40 m. dist. 8
a Do 20 " " " N 54 E 38 " "

80.00 to sec. cor.

North between Sec. 2 & 3

11.10 an Ash 18 in. dia.

40.00 set of sec. post from which
a Gum 9 in. dia. bears S 42 E 9 m. dist. 8
a W. Beech 8 " " " N 82 W 9 " "

51.97 a W. Oak 20 " "

75.93 Intersection N. Boundary 20 m. E. of post -
set post at intersection cor. of sec. 2 & 3 from which
a Hickory 15 in. dia. bears S 3 W 25 m. dist. 8
a Do 15 " " " N 13 W 18 " "
Land level, timber Beech, Sugar & W. Spruce
V. July 7. 1822

North between Sec. 33 & 34

26.06 a Poplar 24 in. dia.

40.00 set of sec. post from which
a B. Walnut 11 in. dia. bears S 33 W 50 m. dist. 8
a Hickory 6 " " " N 40 E 37 " "

67.00 a Beech 24 " "

80.00 set post cor. of sec. 27, 28, 33 & 34 from which
a W. Oak 20 in. dia. bears N 82 W 43 m. dist. 8
a Hickory 26 " " " N 57 E 17 " "

Land level Prater, timber Beech, Oak, Hickory &
brushy

East on Random between Sec. 27 & 34

19.50 a Stream 80 m. wide course N W

25.50 a Do 80 " " " S E

T. 23 N., R. 3 W. E. Mer. Ind. a
Ch. Ch.

40.00 set temp. g. sec. post

80.00 Intersect N & S. line 13 lbs. N. of post -
Land broken, timber Beech, Oak & brushy

West Corrected between Sec. 27 & 28

40.00 set g. sec. post at aver. dist. from which
a B. Oak 12 in. diam. N 84° W 2 lbs. dist. 8
a W. Ash 14 " " " N 81° E 8 " "

80.00 to sec. cor.

North between Sec. 27 & 28

12.00 a B. Oak 20 in. dia.

40.00 set g. sec. post from which
a Sugar 4 in. diam. S 70° E 13 lbs. dist. 8
a Lym 18 " " " N 44° W 10 " "

74.00 a Stream 85 lbs. wide course N 9° W

80.00 set post cor. of Sec. 21, 22, 27 & 28 from which
a Lym 12 in. diam. N 66° E 6 lbs. dist. 8
a W. Oak 5 " " " S 20° W 30 " "

Land 1¹/₂ mile broken & hilly 2¹/₂ mile rolling
timber Beech, Sugar & Upr. Hazel &

East on Random between Sec. 22 & 27

40.00 set temp. g. sec. post

80.10 Intersect N & S. line at post -

Land level, timber Beech, Oak & Upr. Hawth
Hickory gums

West Corrected between Sec. 22 & 27

40.05 set g. sec. post at aver. dist. from which
a B. Oak 6 in. diam. S 11° W 4 lbs. dist. 8
a Os 12 " " " N 59° E 12 " "

80.10 to sec. cor.

North between Sec. 21 & 22

44.00 a Brook 15 lbs. wide course N 9° W

T. 23 N., R. 3 W. 2. Mer. Ind. a
Chr. Shs.

19.20 a Poplar 20 in. dia.

40.00 dit q. sec. port from which

a Beech 15 in. dia. bears S 24 W 28 lbs. dist. 2

a Elm 15 " " " N 19 E 18 " "

66.36 an Elm 15 " "

80.00 dit port cor. of sec. 15, 16, 21 & 22 from which

a S. Ash 12 in. dia. bears S 11 W 20 lbs. dist. 2

a Hickory 12 " " " S 16 E 13 " "

Land level 2. rate, timber Beech, Ash, Oak &

Upr. Spice &

East on Random between Sec. 15 & 22

40.00 dit temp. q. sec. port

80.20 Intersect N. S. line 8 lbs. N. of port -

Land bushy, timber Beech, Oak &

West Connected between Sec. 15 & 22

40.10 dit q. sec. port at aver. dist. from which

a W. Oak 24 in. dia. bears N 43 W 32 lbs. dist. 2

a W. Ash 10 " " " S 40 E 22 " "

80.20 to sec. cor. July 8. 1822

North between Sec. 15 & 16

18.76 an Ash 24 in. dia.

40.00 dit q. sec. port from which

a Beech 12 in. dia. bears N 79 E 28 lbs. dist. 2

a Maple 12 " " " S 62 W 23 " "

54.73 a W. Oak 30 " "

70.00 a Stream 200 lbs. wide course S W

80.00 dit port cor. of sec. 9, 10, 15 & 16 from which

a Spruce 8 in. dia. bears S 86 E 45 lbs. dist. 2

an Ash 4 " " " N 61 W 17 " "

First 1/2 mile level, 2. 1/2 mile hilly, timber

W. Oak, Beech, Sugar & Upr. Spice &

North between Sec. 9 & 10

T. 23 N., R. 3 W. 2. Mer. Ind.

Elev. Lks.

East on Random between Sec. 10 & 15

20.27 a Stream 200 lbs. wide course S W

40.00 set temp. g. sec. post

48.50 a Stream 200 lbs. wide course N W

65.00 a do 200 " " " S W

80.10 Intersect N & S. line 10 lbs. S. of post -

First 1/2 mile Bottom land, 2 1/2 mile hilly,
timber Oak, Sugar, Walnut & Spice &c.

West Connected between Sec. 10 & 15

40.05 set g. sec. post at aver. dist. from which
a Sugar 14 in. dia bears S 2 E 142 lbs. dist. 3
an Elm 30 " " " N 44 W 16 " "

80.10 to sec. cor.

North between Sec. 9 & 10

10.00 a Stream 200 lbs. wide course N W

10 Chains in the center of the Creek

39.00 a W. Oak 24 in. dia.

40.00 set g. sec. post from which

a W. Oak 24 in. dia bears N 20 W 6 lbs. dist. 3

a do 26 " " " S 12 W 22 " "

56.16 a Hickory 24 " "

80.00 set post cor. of Sec. 3, 4, 9 & 10 from which

a Beech 15 in. dia bears S 31 W 34 lbs. dist. 3

an Ash 16 " " " N 43 E 20 " "

First 1/2 mile hilly, last 1/2 mile rich & level,
timber Walnut, Sugar & Upr. Spice &c.

East on Random between Sec. 3 & 10

40.00 set temp. g. sec. post

79.94 Intersect N & S. line 10 lbs. N. of post -

Level land, timber Beech, Sugar, Hickory &c.
Upr. Spice &c.

West Connected between Sec. 3 & 10

T. 23 N., R. 3 W. 2. Mer. Ind.?

Chr. Chr.

39.97 set g. sec. post at aver. dist. from which
 a Sugar 10 in. diameter N 73° W 37 lbs. dist. 8
 an Ash 6 " " " S 50° W 38 " "

79.94 to sec. cor.

North between Sec. 30 & 4.

22.90 a W. Oak 36 in. dia.

40.00 set g. sec. post from which
 a Hickory 20 in. diameter S 9° E 22 lbs. dist. 8
 an Elm 18 " " " N 47° W 13 " "

50.36 a Poplar 30 " "

75.43 Intersect N. Boundary 20 lbs. E. of post -
 set post at intersection Cr. of sec. 30 & 4 from which
 a B. Oak 8 in. diameter N 12° W 17 lbs. dist. 8
 an Elm 10 " " " S 58° E 12 " "
 Land level, timber Beech, Walnut, Ash &
 Upr. Spice & July 9. 1822

North between Sec. 32 & 33

40.00 set g. sec. post in Mound, no Bearing trees

41.50 a Stream 115 lbs. wide course N 9° W

42.50 enter brushy Prairie

68.16 a Stream 115 lbs. wide course N 6° E

80.00 set post Cr. of sec. 28, 29, 32 & 33 from which
 a Hickory 6 in. diameter S 59° E 27 lbs. dist. 8
 a Dr 8 " " " N 73° W 12 " "
 First 1/2 mile Prairie, last 1/2 mile Barrens

East on Random between Sec. 28 & 33

40.00 set trap. g. sec. post

80.00 Intersect N. S. line 9 lbs. E. of post -
 Land hilly, low shrubby timber

West Connected between Sec. 28 & 33

40.00 set g. sec. post at aver. dist. from which
 a Elm 20 in. diameter S 28° E 34 lbs. dist. 8

T. 23 N., R. 3 W., S. Mer. Ind.^a
Chs. Chs.

a Sycm 18 in. diam bears N 40 W 34 lbs. dist.
80.00 to sec. cor.

North between Secs. 28 & 29

6.50 a Stream 115 lbs. wide course W

17.29 a W. Oak 12 in. diam.

30.00 a Stream 115 lbs. wide course NE

39.10 a Do 115 " " " NW rapid

40.00 tot of sec. port from which

a Sycamore 9 in. diam. bears N 21 E 836 lbs. dist.

(no other Bearing tree)

45.00 a Stream 115 lbs. wide course NE

59.22 a Sycamore 30 in. diam.

70.99 a Stream 115 lbs. wide course NW

73.29 a Do 115 " " " NE

80.00 tot port cor. of Secs. 20, 21, 28 & 29 from which

a B. Oak 20 in. diam bears S 58 E 72 lbs. dist.

a W. Oak 12 " " " N 43 W 26 " "

Land broken & brushy

East on Raudan between Secs. 21 & 28

3.00 a Stream 115 lbs. wide course NE

39.75 a Do 85 " " " N

40.00 tot temp. of sec. port

45.80 a Stream 85 lbs. wide course SW

78.50 a Do 85 " " " N

80.00 Intersect N & S line 15 lbs. N. of port -

Land broken & brushy

West Corrected between Secs. 21 & 28

40.00 tot of sec. port at aver. dist. from which

a Sycamore 14 in. diam bears N 81 W 30 lbs. dist.

(No other Bearing tree) port in the stream

80.00 to sec. cor.

North between Secs. 20 & 21

T. 23 N., R. 3 W. 2. Mer. Ind. a.
Chs. Chs.

30.50 a Stream 150 Yds. wide course N W

34.57 a W. Oak 15 in. dia.

40.00 tot. gr. sec. port from which

a Beech 3 in. dia. bears S 13 E 8 Yds. dist. &

a Buckeye 9 " " " N 25 W 10 " "

56.00 a Stream 150 Yds. wide course N E

65.16 a Do 150 " " " N W

72.70 a B. Oak 20 in. dia.

80.00 tot. port cor. of sec. 16 & 17, 20 & 21 from which

a Hickory 18 in. dia. bears S 87 E 31 Yds. dist. &

a W. Oak 18 " " " N 46 W 21 " "

Land hilly, timbered Oak, Hickory & brushy

East on Randem between Sec. 16 & 21

40.00 tot. temp. gr. sec. port

80.00 Intersect N. S. line 10 Yds. N. of port -

Land hilly, timbered Oak, Hickory & Maple.
Spice &

West Corrected between Sec. 16 & 21

40.00 tot. gr. sec. port at aver. dist. from which

a Hickory 24 in. dia. bears N 53 E 19 Yds. dist. &

a Do 18 " " " S 43 W 50 " "

80.00 to sec. cor. July 10. 1822

North between Sec. 16 & 17

12.82 a W. Oak 20 in. dia.

40.00 tot. gr. sec. port from which

a W. Walnut 24 in. dia. bears S 47 E 6 Yds. dist. &

a Sugar 4 " " " N 53 W 18 " "

42.50 a Stream 200 Yds. wide course N W

53.00 a Do 200 " " " N E

62.68 a Poplar 36 in. dia.

80.00 tot. port cor. of sec. 8, 9, 16 & 17 from which

an Ironwood 9 in. dia. bears S 6 W 20 Yds. dist. &

an Elm 30 " " " N 36 E 10 " "

T. 23 N., R. 3 W. S. Mer. Ind. a.

Ch. Lk.

Land hilly, timber Oak, Beech, Elm &
Upr. Spruce &

East in Random between Sec. 9 & 16

7.00 a Stream 200 yds. wide course N^W

40.00 set temp. g. sec. post

43.50 a Stream 200 yds. wide course N^W

68.83 a Do 200 " " " " N^E

80.14 Intersect N. S. line 22 yds. S. of post -

Land hilly, timber Beech, Oak, Upr. Spruce &

West Connected between Sec. 9 & 16

40.07 set g. sec. post at aver. dist. from which

a W. Oak 16 in. diam bears S⁹ W 11 yds. dist. S

a Do 24 " " " " N² W 27 " "

80.14 to sec. cor.

North between Sec. 8 & 9

4.50 a Stream 20 yds. wide course S^W

27.46 a W. Oak 40 in. dia.

40.00 set g. sec. post from which

a Sugar 12 in. diam bears N⁸⁰ E 14 yds. dist. S

a Do 24 " " " " S⁸⁴ W 19 " "

50.00 a Stream 20 yds. wide course S^E

61.82 a W. Oak 20 in. dia.

80.00 set post cor. of sec. 4, 5, 8 & 9 from which

an Ash 18 in. diam bears S⁸⁸ E 10 yds. dist. S

a Do 12 " " " " N⁴ W 8 " "

Land hilly, timber Beech, Oak, Sugar &
Upr. Spruce &

East in Random between Sec. 4 & 9

40.00 set temp. g. sec. post

80.17 Intersect N. S. line 12 yds. S. of post -

Timber Beech, Hickory, Ash, Upr. Spruce &

T. 23 N., R. 3 W. 2. Mer. Ind. a
Chap. 1st.

West Cornered between Sect. 4 & 9

40.08 1/2 bet g. sec. port at over. dist. from which
a W. Oak 14 in. dia. bears S 58 E 22 lbs. dist. 8
a Spr 24 " " " N 31 W 22 " "

80.17 to sec. cor.

North between Sect. 4 & 5

4.00 a Stream 15 lbs. wide course S W

20.16 an Ash 20 in. dia.

40.00 bet g. sec. port from which

an Elm 8 in. dia. bears S 7 E 32 lbs. dist. 8

a Spr 16 " " " N 8 W 26 " "

68.59 a Beech 20 " "

75.52 Intersect N. Boundary 14 lbs. W. of port -

bet port at intersection Cor. of Sect. 4 & 5 from which

a Sugar 10 in. dia. bears S 38 E 5 lbs. dist. 8

a Hickory 34 " " " N 38 W 9 " "

(Description of land &c. omitted)

July 11. 1822

North between Sect. 31 & 32

40.00 bet g. sec. port in mound, no Bearing trees

66.00 leave Prairie & enter timbered land

67.71 a S. Oak 20 in. dia.

80.00 bet port cor. of Sect. 29, 30, 31 & 32 from which

a W. Oak 30 in. dia. bears S 84 E 40 lbs. dist. 8

a Hickory 15 " " " S 43 W 30 " "

Land level, part Prairie, timber Oak, Upr.

Sassafras, Hazel &c.

East on Random between Sect. 29 & 32

40.00 bet temp. g. sec. port

53.50 a Stream 115 lbs. wide course N E. rapid

65.00 a Spr 115 " " " N W "

79.90 Intersect N. S. line at port -

Land Barrens, low timber

T. 23 N., R. 3 W. 2. Mer. Ind. a.
Ch. 1. Ch.

West Connected between Sec. 29 & 32

39.95 let g. sec. port at aver. dist. from which
a W. Oak 24 in. diameter N 49 W 18 lbs. dist. 23
a B. Oak 20 " " " S 29 W 80 " "

79.90 to sec. cor.

West between Sec. 30 & 31

40.00 let g. sec. port in mound no bearing trees

43.50 leave Prairie & enter brushy Barrens

85.02 Entered W. Boundary at port -

Land part Prairie & brushy Barrens, timber
Oak & Upr. Sassafras &

North between Sec. 29 & 30

9.00 enter a Prairie

30.00 leave " & enter Barrens

40.00 let g. sec. port from which

a B. Oak 14 in. diameter N 87 W 83 lbs. dist. 23

a Hickory 12 " " " N 61 E 71 " "

50.83 a W. Oak 20 " "

80.00 let port cor. of sec. 19, 20, 29 & 30 from which

a W. Oak 14 in. diameter S 61 E 8 lbs. dist. 23

a B. Oak 30 " " " S 42 W 60 " "

Land level, timber Oak, Upr. Sassafras &

East on Pandem between Sec. 20 & 29

40.00 let temp. g. sec. port

79.86 Intersect N & S line 25 lbs. N. of port -

First 1/2 mile open wood, last 1/2 mile brushy
timber Oak, Hickory &

West Connected between Sec. 20 & 29

39.93 let g. sec. port at aver. dist. from which

a W. Oak 24 in. diameter N 1 E 84 lbs. dist. 23

a Dr 20 " " " S 89 E 17 " "

79.86 to sec. cor.

T. 23 N., R. 3 W. 2. Mer. Ind. a.
Cm. 11.

West between Sec. 19 & 30

40.00 tot of sec. port from which
a W. Oak 24 in. dis. bears N 70° W 41 Ms. dist. 2,
a Do 18 " " " S 62° W 39 " "

57.38 a Do 20 " "

85.16 Intersect W. Boundary 25 Ms. N. of port -
tot port at intersection cr. of Sec. 19 & 30 from which
a W. Oak 30 in. dis. bears N 67° E 5 Ms. dist. 2
a Do 30 " " " S 86° W 18 1/2 " "
Barrens & Prairie, low timber Oak, Hickory &c.

North between Sec. 19 & 20

40.00 tot of sec. port from which
a W. Oak 24 in. dis. bears N 42° E 40 Ms. dist. 3
a B. Oak 26 " " " S 12° W 125 " "

56.50 a Stream 150 Ms. wide course N° W

66.25 a Do 150 " " " N° E

80.00 tot port cr. of Sec. 17, 18, 19 & 20 from which
a Cherry 12 in. dis. bears S 74° E 117 Ms. dist. 2,
a W. Oak 20 " " " N 85° W 42 " "
Land hilly, shrubby Barrens. July 12, 1822

East on Boundary between Sec. 17 & 20

4.50 a Stream 150 Ms. wide course N° W

80.20 Intersect N. E. line 10 Ms. N. of port -
Land level, timber Beech, Sugar & Alf. Spruce &c.

West corrected between Sec. 17 & 20

40.10 tot of sec. port at aver. dist. from which
a Sugar 20 in. dis. bears S 33° E 35 Ms. dist. 3
an Ash 20 " " " N 31° W 40 " "

80.20 to sec. cr.

West between Sec. 18 & 19

12.62 a W. Oak 20 in. dis.

40.00 tot of sec. port from which

T. 23 N., R. 3 W. 2. Mer. Ind. v.
Ch. L. H.

- a W. Oak 20 in. diam. bears S 86 E 30 lbs. dist. 8
 a Do 24 " " " S 21 W 21 " "
 61.53 a Do 20 " "
 81.28 a Stream 200 lbs. wide course S W
 85.76 Intersect W. Boundary 30 lbs. N. of point -
 set post at intersection cor. of sec. 18 & 19 from which
 a W. Beech 6 in. diam. bears S 67 W 22 lbs. dist. 8
 an Elm 12 " " " N 42 E 11 " "
 (Description of land &c. omitted)
-

North between Sec. 17 & 18.

- 12.00 a Stream 150 lbs. wide course N E
 22.06 a Hickory 18 in. dia.
 38.00 a Stream 200 lbs. wide course N W. rapid
 40.00 set q. sec. post from which
 a Saprasp 10 in. diam. bears S 78 W 19 lbs. dist. 8
 a B. Oak 24 " " " N 51 E 8 " "
 52.46 a Sugar 20 in. dia.
 80.00 set post cor. of sec. 18, 17 & 18 from which
 a B. Oak 18 in. diam. bears S 10 W 34 lbs. dist. 8
 a Do 6 " " " N 19 E 9 " "
 Bottom land, timber Walnut, Ash &c. Upr.
 Spruce &c.
-

East on Ransom between Sec. 8 & 17

- 34.00 a Stream 200 lbs. wide course S E
 40.00 set temp. q. sec. post
 79.90 Intersect N. & S. line 12 lbs. N. of post -
 Land hilly, timber Beech, Oak, Walnut &c.
 Upr. Spruce &c.
-

West connected between Sec. 8 & 17

- 39.95 set q. sec. post at aver. dist. from which
 a W. Beech 6 in. diam. bears S 23 E 22 lbs. dist. 8
 a B. Oak 20 " " " N 51 W 32 " "
 79.90 to sec. cor. July 13. 1822
-

T. 23 N., R. 3 W. 2. Mer. Ind. a.

Ch. Lhs.

West between Sec. 7 & 18

25.35 a B. Oak 30 in. dia.

40.00 set of sec. post from which

a B. Oak 36 in. dia. bears N 72 E 10 lbs. dist. 8

a Do 15 " " " S 49 W 20 " "

60.36 a Do 30 " "

86.00 Interest W. Boundary 30 lbs. N. of post -

set post at intersection cor. of sec. 7 & 18 from which

an Ash 4 in. dia. bears N 75 E 10 lbs. dist. 8

a Sugar 18 " " " S 61 W 49 " "

Land level, timber Beech, Sugar, Walnut

v. Upr. Spice v.

North between Sec. 7 & 8

20.42 a Hickory 20 in. dia.

40.00 set of sec. post from which

a Sugar 14 in. dia. bears N 10 E 15 lbs. dist. 8

an Ironwood 6 " " " N 24 W 22 " "

53.14 a B. Oak 30 " "

80.00 set post cor. of sec. 5, 6, 7 & 8 from which

a Hickory 6 in. dia. bears S 32 E 20 lbs. dist. 8

a Do 9 " " " N 69 W 38 " "

Land level, timber Beech, Hickory, Oak v. Upr.
Spice v.

East on Random between Sec. 5 & 8

40.00 set temp. of sec. post

69.50 a Brook 15 lbs. wide course S E

79.86 Interest N & S. line 11 lbs. N. of post -

Land level, timber Beech, Sugar, Ash v. Upr.
Spice v.

West Corrected between Sec. 5 & 8

39.93 set of sec. post at aver. dist. from which

a Hickory 6 in. dia. bears S 72 E 11 lbs. dist. 8

a Do 6 " " " N 44 W 8 " "

T. 23 N., R. 3 W. 2^d Mer. Ind.^a

Ch. Ch.

79.86 to sec. cor.

West between Sect. 6 & 7

28.14 a Sugar 20 in. dia.

40.00 set of sec. post from which

a Sugar 12 in. dia. bears N 62 E 5 1/2 lbs. dist. 1/2

a Do 12 " " " S 72 W 22 " "

60.30 a B. Walnut 20 in. dia.

87.18 Intersect N. Boundary 10 lbs. N. of post -

set post at intersection cor. of Sect. 6 & 7 from which

a W. Oak 26 in. dia. bears N 2 W 14 lbs. dist. 1/2

a Sugar 12 " " " S 42 E 44 " "

Land level, timber Walnut, Sugar, Beech &
Upr. Spice &

North between Sect. 5 & 6

18.73 a W. Oak 30 in. dia.

40.00 set of sec. post from which

a Hickory 20 in. dia. bears N 7 E 37 lbs. dist. 1/2

a Do 14 " " " S 60 W 12 " "

75.40 Intersect N. Boundary at post -

Land level, timber Beech, Ash, Hickory &

Upr. Spice & July 14, 1822

Surveyed by

Henry Bryan
Dep. Surveyor.

T. 23 N., R. 3 W. 2. Mer. Ind. a.

I certify that the foregoing transcript of
Field Notes of the survey of Township N. 23 North,
in Range N. 3 West of the 2. Principal Merid-
ian, in the State of Indiana, has been compared
with the original on file in this office, and found
to be correct.

Surveyor General's Office,
Cincinnati, Oct. 7. 1842 }

William Johnston
Sur. Genl.